

MELTON & BELVOIR RURAL DISTRICT

COUNCIL

000	
-----	--

ANNUAL REPORT

of the

MEDICAL OFFICER OF HEALTH

for the

YEAR ENDING 31st. DECEMBER, 1945

 00	0	
~ ~	~	<u> </u>

q

GENERAL STATISTICS

Area (in acres)	• • • • • •	• • •	• • •	113,025
Registrar General's estimate of				
population				
Number of inhabited houses	• • • • • •	• • •	• • •	5 , 571
Rateable Value			• • •	£82,259
Sum represented by a penny rate				

VITAL SUA TISTICS

	District	England & Wales
Birth Rate Death Rate Infant Mortality Rate per 1,000	19.3. 13.4.	16.1. 11.4.
live births	32	46

GENERAL PROVISIONS OF HEALTH SERVICES FOR THE AREA

(1) Public Health Officers of the Authority

J. Young, M.B., Ch.B., D.P.H. (Camb)

Medical Officer of Health for the Leicestershire & Rutland Combined Districts in which this District is included.

L. Hesford - Sanitary Inspector

Certificate of Royal Sanitary Institute, Sanitary Inspector's Examination Joint Board, Meat Inspector, Smoke Inspector.

W. P. Elliott - Additional Sanitary Inspector

Certificate of the Royal Sanitary Institute, Sanitary Inspector's Examination Joint Board.

A. L. Sleath - Assistant Sanitary Inspector

(ii) Labiratory Facilities

The following examinations were carried out during the year in the County Laboratory, Leicester:-

Milk examinations (bacteriological) Sputa for T.B Swabs for Diphtheria Sewage and water analyses	52 34 16
Blood for Wassermann Test Urine (general and bacteriological)	
Urine for T.B	6
Films for gonococci Milk for Phosphatase Test	
Miscellaneous	
	Management Superfront Street Community

543

Ref. Rt. vo. And the second s 1 m , Company of the Compan and the second s · 10.5 : 3.5

SANITARY CIRCUMSTANCES OF THE AREA

1. (1) WATER

Number of samples taken for analysis:-

(a) from	wells pipe supply	• • •	• • •	• • • •	• • •	36
(b) from	pipe supply	• • •	• • •		• • •	-

Results of samples taken:-

from	wells	• • •	• • •	• • •	Satisfactory	10
					Unsatisfactory	26

Number of wells:-

(a)	closed cleansed	• • •	• • •	• • •	•••	• • •	• • •	1
(b)	cleansed	• • •		• • •	• • • • • •	• • •	• • •	1

Number of cases in which piped supply was substituted for well water 1

Number of Parishes without a piped water supply. 20

Number of Parishes with piped water supply: - ..

(a) from	public :	mains	• • •	• • •		• • •	11
(b) from	private	reservoirs.		• • •	• • •	• • •	4

The quality of some of the existing supplies from wells is doubtful and sampling of some of the public wells has been carried out.

(ii) DRAINAGE AND SEVERAGE

Number of cesspools in the District at the of 1945			530
Number of cesspools abolished during the	• • •	• • •	223
year	• • •	• • •	Nil
Number of cesspools constructed during the			77.5
year		• • •	NIT

2. (1) CLOSET ACCOMMODATION

Total number in the District at the end of 1945:-

(Privies	• • •	• • •	• • •		• • •	• • •	806
((2)	Privies Pail Closets Water Closets	• • •	• • •		• • •	• • •	• • •	3249
((3)	Water Closets	• • •				• • •		1278

(11) PUBLIC CLEANSING

Weekly collections of household refuse are carried out by the Council's Scavengers in all villages, the refuse being taken to tips and covered up. Weekly collections of nightsoil are carried out by the Council's Scavengers in 90% of the villages, the nightsoil being taken to arable land and ploughed in.

(iii) SALVAGE

Salvage is collected by the Council's Scavengers once every fortnight, and special collections are made on application. Salvage material consists of tins, bones, rags, glass, iron, brass, aluminium, paper and cardboard of all kinds. Also string, rubber and waste pig food.

Digitized by the Internet Archive in 2018 with funding from Wellcome Library

(iv) SANITARY INSPECTION OF THE A REA

The particulars given under this Heading are for all purposes including particulars given elsewhere in this Report:-

total number	of	complaints	received	• • •	• • •	226
Total number						
discovered	• •		•••	• • •	• • •	571

	Inspections	Re-visits
Animal keeping Bakehouses Dairies and cowsheds Drainage works Dwelling houses (all purpos Food premises Rats and mice destruction Refuse collection and dispos Shops Schools Slaughter houses & Meat	15	2 11 83 124 221 6 38 107 12 9
inspection Tents, Vans, Sheds, etc. Verminous premises and scal Water supplies Workshops, etc. Other inspections	1 23 34 51	10 6 14 38 15 38
	2,400	734

NOTICES

Preliminary	<u>Housing</u>	Other
Outstanding on 1st. January Issued during the year Complied with during year Statutory action necessary Outstanding 31st. December	3397 117 100	24 36 41 2 19
Statutory		
Outstanding 1st. January Issued during the year Complied with during year Outstanding 31st. December	+ 10 5 1	2 2 2

(v) SHOPS

Action taken during the year under the Provision of the Shops Act, 1934:-

	utstanding from previous year	<u>Defects</u> Found	Defeats remedied	Outstanding 31st. Dec.
Sanitary				
Convenience	s -	4	*	~
Temperature	8 ts. 3	-	*	-
Ventilation	(Par)	Oral	H	•

(vi) REGULATED BUILDINGS

Common Loding H ouses - There are no Common Lodging Houses in the area.

Tents, Vans, Sheds,
etc.

There are two Vans in the District and
20 inspections were made. General
conditions are satisfactory.

(vii) SCHOOLS

The sanitary conditions at several of the Schools were unsatisfactory and the attention of the School Authorities has been called to remedy the defects. The water supply is mostly from pumps. Eight Schools are piped from the Council's mains.

INSPECTION AND SUPERVISION OF FOOD

(a) MILK SUPPLY

Cowke	eepers	Dairymen or Purveyors of Milk other than Cowkeepers
Number on the Register Number of inspections of	828	286
premises	324	1 41
Number of contraventions outstanding from previous year Number of contraventions found	48	1 6
during the year	101	34
Number of contraventions remedied during the year Number of contraventions	79	29
outstanding 31st. December	70	21

Total Contraventions

	Outstanding from previous year	Found during Year	Remedied during Year	Outstanding 31st. Dec.
Cleansing Structural	ŧ	64	5 1]	21
alterations Utensils	5 5 5	22 3 5	1 o 31	59 5
Other	N.	14	10	6

273 samples of milk were taken for bacteriological examination 263 being satisfactory and 10 unsatisfactory.

THE MILK (SPECIAL DESIGNATIONS) ORDER, 1936 and 1938

Two supplementary licences have been issued in respect of pasteurised milk.

(b) MEAT AND OTHER FOODS

Private Slaughter Houses:-

Number of kracker yards in the district Number of visits to knacker yards	•••	• • •	2 10
Meat Shops, Meat Stores, etc.:-	ø		
Number of inspections		• 6 0	24
PLACES WHERE FOOD (OTHER THAN MEAT) ARE KEPT OR PREPARED FOR SALE.			
Number of inspections	• • •	• • •	1 5

HOUSING

INSPECTION OF DWELLING HOUSES DURING THE YEAR 1. (1) Total number of dwelling houses inspected for (a) housing defects (under Public Health or Housing Acts) ... 425 . . . Number of inspections made for the purpose Number of dwelling houses (included under (b) (a) 453 (2) sub-head (1) above) which were inspected and recorded under Housing Consolidated Regulations 1925 and 1932 369 (b) Number of inspections made for the purpose 369 Number of dwelling houses found to be in a state so (3) dangerous or injurious to health as to be unfit for human habitation.. 35 (4) Number of dwelling houses (exclusive of those referred to under the preceding sub-head) found not to be in all respects reasonably fit for human habitation ... 60 REMEDY OF DEFECTS DURING THE YEAR VITHOUT SERVICE OF 2. FORMAL NOTICE. Number of defective dwelling houses rendered fit in consequence of informal action by the Local Authority or their Officers ... 52 HOUSING ACT, 1936 - PART IV - OVERCROWDING (a) (i) Number of dwelling houses overcrowded at the end of the year 123 (ii) Number of families dwelling therein.. 212 (iii) Number of persons dwelling therein ... 808 (b) Number of cases of overcrowding reported during the 85 year ... (c) Number of cases of overcrowding relieved during the year 7 (d) Number of persons concerned in such cases ... 24

PREVALENCE OF AND CONTROL OVER INFECTIOUS AND OTHER DISEASES

Notifiable Diseases (other than Tuberculosis) during the Year, 1945:-

<u>Disease</u>	Total Cases notified	Cases admitted to Hospital	Total Deaths
Scarlet Fever	25	18	~-
Whooping Cough	66	-	pros.
Diphtheria	1	1	-
Erysipelas	3	-	***
Measles	302	5	Pro-
Pneumonia	16	_	5
Dysentery	33	1	~
Ac. Poliomyelitis	2	2	Prod

... . . . • • • 4 4 A 4 s 4 1/4 the second of th

Disease	Under one	1 -	3 5 -	10 - 15	- 25 and 0ve
Scarlet Fever	_	1	2 11	6 4	1 -
Whooping Cough	10	18	17 19	1 1	
Measles	7	43	53 54	32 3	7 -
Ac. Poliomyelitis	ērna	be a	- 1		1 -
The state of the s	The second second state of the second	recent ferromboung to on			
approximate transformation and the state of	interference from the factor of the second constant of the second constant of	gilanning bereggin blipfledigterscraft frameworks	· Manhagangan · Samon' or orbital appropriating Samon county to com-	glarings mining VisingSerres, NersindageMad Visined ago-aginopus(Serind	tung syrations (biologicalistics simplicans tensilisativens) tung since thin signal tensil
Disease	0 -	5	- 15	- 45 -	65 and over
Erysipelas			1	1	1
Pneumonia	3	4	3	3	3
Dysentery	2		19	10	-
Non-Civilian					
Measles	-	-	3	-	-
Diphtheria	General		1	-	-
Dysentery	13,000	-	2	-	-

TUBERCULOSIS

AGE GROUP S	Pulmo M	New (nary F	Cases Non-pul M	monary F	Pulmo M	Dea na ry F	ths Non-pul M	monary F
5 - 15	-	1	_	1	-	•	_	
15 - 25		2	1	1	-		~	-
25 - 35	1	-	-	2	-	-	-	-
35 - 45	3	1	-	-	-	-	1	-
Over 45	-	-	1	-	-	-	-	-

SCABIES

A Centre was opened in May, 1942, for the out-patient treatment of Scabies cases from the Melton & Belvoir Rural and the Melton Mowbray Urban Districts. 126 cases were treated during the year.

* - 10 * The second secon • 414 . . . and the second s

MELTON & BELVOIR RURAL DISTRICT

Existing Water Supplies

The Parishes of Ab Kettleby, Asfordby, Broughton & Dalby, Clawson and Harby, Stathern, Waltham (Thorpe Arnold Ward), Eaton, (Eastwell Ward), Somerby part, Burton & Dalby (Burton Ward), Sproxton (Sproxton and Saltby Wards) are supplied from the Council's mains.

Stand pipes are not provided, the services being laid on to the Consumer's premises.

There is no indication of any tendency to plumbo-solvency.

The Parishes of Belvoir, Buckminster (Buckminster Ward)
Grimston (Saxelbye Ward), Knossington (Cold Overton Ward) are
supplied by private piped supplies of limited quantity.

The rest of the District is supplied from public and private wells. The majority of the wells are 'shallow wells' of doubtful quality, and in many cases insufficient in quantity during dry periods. Shortages have been experienced, particularly in the Parishes of Wymondham, Hoby, Grimston and Saxelbye, and it was necessary to restrict supplies from 7 p.m. to 6 a.m. during the Summer and Autumn months on the Joint Water Supply Scheme.

